The state of the s

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

TOWN OF OSYKA Public Water Supply Name

570010

List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

<u>XX</u>	Customers we	ere informed of availability of CCR by: (Attach copy of publication, water bill or other)
	$\frac{X}{X}$	Advertisement in local paper On water bills Other
	Date custom	ners were informed: 05 / 17 / 2011
	CCR was di	stributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/I	Distributed: / /
	CCR was pub	lished in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of New	spaper:
	Date Publishe	d:/
xx	CCR was pos	ted in public places. (Attach list of locations)
	Date Posted:_	05 / 17 / 2011
□ www		ted on a publicly accessible internet site at the address:
CERT	<u>IFICATION</u>	
correct	and is consiste	consumer confidence report (CCR) has been distributed to the customers of this public water manner identified above. I further certify that the information included in this CCR is true and ent with the water quality monitoring data provided to the public water system officials by the artment of Health, Bureau of Public Water Supply.
Şa,	mi W. F	May 16, 2011
(yame)	uie (Presiaen	t, Mayor, Owner, etc.) Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

TOWN OF OSYKA - 570010 2010 ANNUAL DRINKING WATER QUALITY REPORT

Is my water safe?

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our water source is from two deep wells drawing from the Miocene Series Aquifer.

Source water assessment and its availability

Our source water assessment has been completed. Our wells have had no contamination this past year. For a copy of this report, please contact our office at 601-542-5041.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

If you have questions about this report or concerns about your water utility, please contact Mayor Jamie W. Harrell at 601-542-5041. We want our valued customers to be informed about their water utility. If you want to learn more, please attend our monthly board meeting held on the first Thursday, of each month at 5:45 p.m.

Description of Water Treatment Process

Your water is treated by disinfection. Disinfection involves the addition of chlorine or other disinfectant to kill dangerous bacteria and microorganisims that may be in the water. Disinfection is considered to be one of the major public health advances of the 20th century.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit www.epa.gov/watersense for more information.

Cross Connection Control Survey

The purpose of this survey is to determine whether a cross-connection may exist at your home or business. A cross connection is an unprotected or improper connection to a public water distribution system that may cause contamination or pollution to enter the system. We are responsible for enforcing cross-connection control regulations and insuring that no contaminants can, under any flow conditions, enter the distribution system. If you have any of the devices listed below please contact us so that we can discuss the issue, and if needed, survey your connection and assist you in isolating it if that is necessary.

- Boiler/ Radiant heater (water heaters not included)
- Underground lawn sprinkler system
- Pool or hot tub (whirlpool tubs not included)
- Additional source(s) of water on the property
- Decorative pond
- Watering trough

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. TOWN OF OSYKA is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

<u>Contaminants</u>	MCLG or MRDLG	MCL, TT, or MRDL	Your Water	Ra <u>Low</u>	nge High	Sample Date	Violation	Typical Source
Disinfectants & Disin	The second second second	2017-14-1-15-0-0-25-0	- FERSON CORP. WITE				I. 	
(There is convincing of	evidence th	at additic	n of a di	sinfecta	ant is n	ecessary	for control o	f microbial contaminants)
Haloacetic Acids (HAA5) (ppb)	NA	60	0	NA		2010	No	By-product of drinking water chlorination
Chlorine (as Cl2) (ppm)	4	4	1.53	NA		2010	No	Water additive used to control microbes
TTHMs [Total Trihalomethanes] (ppb)	NA	80	80	NA		2004	No	By-product of drinking water disinfection
Inorganic Contamin	ants			100				
Cyanide [as Free Cn] (ppb)	200	200	1.5	NA		2010	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Antimony (ppb)	6	6	0.5	NA		2010	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	0.5	NA		2010	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.039	NA		2010	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0.1	NA		2010	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	0.1	NA		2010	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	0.5	NA		2010	No	Discharge from steel and pulp mills; Erosion of natural deposits
Fluoride (ppm)	4	4	0.01	NA		2010	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Mercury [Inorganic] (ppb)	2	2	0.0002	NA		2010	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland

the second of th

Selenium (ppb)	50	50	0.0025	NA	2010	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Thallium (ppb)	0.5	2	0.0005	NA	2010	No	Discharge from electronics, glass, and Leaching from ore-processing sites; drug factories
Nitrate [measured as Nitrogen] (ppm)	10	10	0.34	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	0.05	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Volatile Organic Cor	itaminant	S					
1,2,4-Trichlorobenze ne (ppb)	70	70	0.5	NA	2008	No	Discharge from textile-finishing factories
cis-1,2-Dichloroethyl ene (ppb)	70	70	0.5	NA	2008	No	Discharge from industrial chemical factories
Xylenes (ppm)	10	10	0.0005	NA	2008	No	Discharge from petroleum factories; Discharge from chemical factories
Dichloromethane (ppb)	0	5	5	NA	2008	No	Discharge from pharmaceutical and chemical factories
o-Dichlorobenzene (ppb)	600	600	0.5	NA	2008	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	75	0.5	NA	2008	No	Discharge from industrial chemical factories
Vinyl Chloride (ppb)	0	2	0.5	NA	2008	No	Leaching from PVC piping; Discharge from plastics factories
1,1-Dichloroethylene (ppb)	7	7	0.5	NA	2008	No	Discharge from industrial chemical factories
trans-1,2-Dicholoroet hylene (ppb)	100	100	0.5	NA	2008	No	Discharge from industrial chemical factories
1,2-Dichloroethane (ppb)	0	5	0.5	NA	2008	No	Discharge from industrial chemical factories
1,1,1-Trichloroethane (ppb)	200	200	0.5	NA	2008	No	Discharge from metal degreasing sites and other factories
Carbon Tetrachloride (ppb)	0	5	0.5	NA	2008	No	Discharge from chemical plants and other industrial activities
1,2-Dichloropropane (ppb)	0	5	0.5	NA	2008	No	Discharge from industrial chemical factories

Trichloroethylene (ppb)	0	5	0.5	NA		2008]	No	deg	scharge from metal greasing sites and other tories
1,1,2-Trichloroethane (ppb)	3	5	0.5	NA		2008	1	No		charge from industrial mical factories
Tetrachloroethylene (ppb)	0	5	0.5	NA		2008	1	No		scharge from factories and cleaners
Chlorobenzene (monochlorobenzene) (ppb)	100	100	0.5	NA		2008	ו	No		scharge from chemical and icultural chemical factories
Benzene (ppb)	0	5	0.5	NA		2008]	Vo	Lea	scharge from factories; aching from gas storage ks and landfills
Toluene (ppm)	1	1	0.5	NA		2008				charge from petroleum tories
Ethylbenzene (ppb)	700	700	0.5	NA		2008	1	No		scharge from petroleum ineries
Styrene (ppb)	100	100	0.5	NA		2008	1	No	pla	scharge from rubber and stic factories; Leaching m landfills
			Your	Sampl	e	# Sampl	es	Excee	ds	
<u>Contaminants</u>	MCLG	<u>AL</u>	Water	Date	E	xceeding	<u>AL</u>	<u>AL</u>		Typical Source
Inorganic Contamina	ants				Ži,					
Lead - action level at consumer taps (ppb)	0	15	1	2008		0		No		Corrosion of household plumbing systems; Erosion of natural deposits
Copper - action level at consumer taps (ppm)	1.3	1.3	1.3	2008		0		No		Corrosion of household plumbing systems; Erosion of natural deposits

Term	Definition
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (μg/L)
NA	NA: not applicable
ND	ND: Not detected
NR	NR: Monitoring not required, but recommended.

Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.

AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:

Contact Name: WILLIAM GILL

Address:

215 LIBERTY STREET; EAST OSYKA, MS 39657 Phone: 601-542-5041 Fax: 601-542-5832

E-Mail: osykams1@aol.com

2010 ANNUAL DRINKING WATER QUALITY REPORT

Is my water safe?

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our water source is from two deep wells drawing from the Miocene Series Aquifer.

Source water assessment and its availability

Our source water assessment has been completed. Our wells have had no contamination this past year. For a copy of this report, please contact our office at 601-542-5041.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment

plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

If you have questions about this report or concerns about your water utility, please contact Mayor Jamie W. Harrell at 601-542-5041. We want our valued customers to be informed about their water utility. If you want to learn more, please attend our monthly board meeting held on the first Thursday, of each month at 5:45 p.m.

Description of Water Treatment Process

Your water is treated by disinfection. Disinfection involves the addition of chlorine or other disinfectant to kill dangerous bacteria and microorganisims that may be in the water. Disinfection is considered to be one of the major public health advances of the 20th century.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in

the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.

- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit www.epa.gov/watersense for more information.

Cross Connection Control Survey

The purpose of this survey is to determine whether a cross-connection may exist at your home or business. A cross connection is an unprotected or improper connection to a public water distribution system that may cause contamination or pollution to enter the system. We are responsible for enforcing cross-connection control regulations and insuring that no contaminants can, under any flow conditions, enter the distribution system. If you have any of the devices listed below please contact us so that we can discuss the issue, and if needed, survey your connection and assist you in isolating it if that is necessary.

- Boiler/ Radiant heater (water heaters not included)
- Underground lawn sprinkler system
- Pool or hot tub (whirlpool tubs not included)
- Additional source(s) of water on the property
- Decorative pond
- Watering trough

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier.
 Stencil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind

residents that storm drains dump directly into your local water body.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. TOWN OF OSYKA is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

<u>Contaminants</u>	MCLG or MRDLG	MCL, TT, or <u>MRDL</u>	Your <u>Water</u>	N _a		Sample <u>Date</u>	<u>Violation</u>	Typical Source
Disinfectants & Disi			allow have no constructions					
(There is convincing e	vidence tha	t addition	ı of a disi	nfecta	nt is ne	cessary fo	r control of	microbial contaminants)
TTHMs [Total Trihalomethanes] (ppb)	NA	80	80	NA		2004	No	By-product of drinking water disinfection
Volatile Organic Co	ntaminants	•						
1,2,4- Trichlorobenzene (ppb)	70	70	0.5	NA		2008	No	Discharge from textile- finishing factories
cis-1,2- Dichloroethylene (ppb)	70	70	0.5	NA		2008	No	Discharge from industrial chemical factories

4 To 1 To 1 To 1 To 1

Xylenes (ppm)	10	10	0.0005	NA	2008	No	Discharge from petroleum factories; Discharge from chemical factories
Dichloromethane (ppb)	0	5	5	NA	2008	No	Discharge from pharmaceutical and chemical factories
o-Dichlorobenzene (ppb)	600	600	0.5	NA	2008	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	75	0.5	NA	2008	No	Discharge from industrial chemical factories
Vinyl Chloride (ppb)	0	2	0.5	NA	2008	No	Leaching from PVC piping; Discharge from plastics factories
1,1-Dichloroethylene (ppb)	7	7	0.5	NA	2008	No	Discharge from industrial chemical factories
trans-1,2- Dicholoroethylene (ppb)	100	100	0.5	NA	2008	No	Discharge from industrial chemical factories
1,2-Dichloroethane (ppb)	0	5	0.5	NA	2008	No	Discharge from industrial chemical factories
1,1,1-Trichloroethane (ppb)	200	200	0.5	NA	2008	No	Discharge from metal degreasing sites and other factories
Carbon Tetrachloride (ppb)	0	5	0.5	NA	2008	No	Discharge from chemical plants and other industrial activities
1,2-Dichloropropane (ppb)	0	5	0.5	NA	2008	No	Discharge from industrial chemical factories
Trichloroethylene (ppb)	0	5	0.5	NA	2008	No	Discharge from metal degreasing sites and other factories
1,1,2-Trichloroethane (ppb)	3	5	0.5	NA	2008	No	Discharge from industrial chemical factories
Tetrachloroethylene (ppb)	0	5	0.5	NA	2008	No	Discharge from factories and dry cleaners
Chlorobenzene (monochlorobenzene) (ppb)	100	100	0.5	NA	2008	No	Discharge from chemical and agricultural chemical factories
Benzene (ppb)	0	5	0.5	NA	2008	No	Discharge from factories; Leaching from gas storage tanks and landfills
Toluene (ppm)	1	1	0.5	NA	2008	No	Discharge from petroleum factories
Ethylbenzene (ppb)	700	700	0.5	NA	2008	No	Discharge from petroleum refineries
Styrene (ppb)	100	100	0.5	NA	2008	No	Discharge from rubber and plastic factories; Leaching from landfills
<u>Contaminants</u>	MCLG	AL	Your <u>Water</u>	Sam <u>Da</u>			

Lead - action level at consumer taps (ppb)	0	15	1	2008	0	No	Corrosion of household plumbing systems; Erosion of natural deposits
Copper - action level at consumer taps (ppm)	1.3	1.3	1.3	2008	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

Undetected Contaminants

The following contaminants were monitored for, but not detected, in your water.

	MCLG	MCL or	Your		
<u>Contaminants</u>	or <u>MRDLG</u>	MRDL	Water	<u>Violation</u>	Typical Source
Cyanide [as Free Cn] (ppb)	200	200	ND	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Antimony (ppb)	6	6	ND	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	ND	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	ND	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	ND	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	ND	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	ND	No	Discharge from steel and pulp mills; Erosion of natural deposits
Fluoride (ppm)	4	4	ND	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Mercury [Inorganic] (ppb)	2	2	ND	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Selenium (ppb)	50	50	ND	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Thallium (ppb)	0.5	2	ND	No	Discharge from electronics, glass, and Leaching from ore-processing sites; drug factories
Nitrate [measured as Nitrogen] (ppm)	10	10	ND	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits

Nitrite [measured as Nitrogen] (ppm)	1	1	ND	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Haloacetic Acids (HAA5) (ppb)	NA	60	ND	No	By-product of drinking water chlorination
Chlorine (as Cl2) (ppm)	4	4	ND	No	Water additive used to control microbes
, , , , , , , ,		<u></u> .	10		

Unit Descriptions	
Term	Definition
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (μg/L)
NA	NA: not applicable
ND	ND: Not detected
NR	NR: Monitoring not required, but recommended.

Important Drinking Water Definitions	
Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:

Contact Name: WILLIAM GILL

Address:

215 LIBERTY STREET; EAST

OSYKA, MS 39657 Phone: 601-542-5041 Fax: 601-542-5832

E-Mail: osykams1@aol.com

RECEIVED - WATER SUPP

2011 SEP 23 AM 8: 50

Mercury (ppb)	(Inorganie)	2	2	NA	2010	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from eropland
Selenium	(ppb)	50	50	NA	2010	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Thallium		0.5	2	NA	2010	Na	Discharge from electronics, glass, and Leaching from ore- processing sites; drug factories
1,2,4- Trichloro (ppb)	penzene	70	70	NA	2610	No	Discharge from textile- finishing factories
cis-1,2- Dichloroe (ppb)	thylene	70	70	NA	2010	No	Discharge from industrial chemical factories
Xylenes (ppm)	10	10	NA	2010	No	Discharge from petroleum factories; Discharge from chemical factories
Dichloror (ppb)	iethane	0	5	N.A	2010	No	Discharge from pharmaceutical and chemical factories
o-Dichlor (ppb)	obenzene	600	600	NA	2010	No	Discharge from industrial chemical factories
p-Dichlor (ppb)	benzene	75	75	NA	2010	No	Discharge from industrial chemical factories
Vinyl Chl	oride (ppb)	0	2	NA	2010	No	Leaching from PVC piping; Discharge from plastics factories
1,1-Dichle (ppb)	ro c thylene	7	7	NA	2010	No	Discharge from industrial chemical factories
trans-1,2- Dicholoro (ppb)	ethylene	100	100	NA	2010	No	Discharge from industrial chemical factories
1,2-Dichle (ppb)	roethane	0	5	NA	2010	No	Discharge from industrial chemical factories
1,1,1-Tric (ppb)	nloroethane	200	200	NA	2010	No	Discharge from metal degreasing sites and other factories
Carbon Te (ppb)	trachloride	0	5	NA	2010	No	Discharge from chemical plants and other industrial activities
1,2-Dichlo (ppb)	ropropane	ΰ	5	NA	2010	No	Discharge from industrial chemical factories
Trichloroe (ppb)	thylene	Ü	5	NA	2010	No	Discharge from metal degreasing sites and other factories



i,1,2-Trichforoethane (ppb)	3	5	NA	2010	No	Discharge from industrial chemical factories
Tetrachloroethylene (ppb)	0	5	NA	2010	No	Discharge from factories and dry cleaners
Chlorobenzene (monochlorobenzene) (ppb)	100	100	NA	2010	No	Discharge from chemical and agricultural chemical factories
Benzene (ppb)	0	5	NA	2010	No	Discharge from factories; Leaching from gas storage tanks and landfills
Toluene (ppm)	1)	NA	2010	No	Discharge from petroleum factories
Ethylbenzene (ppb)	700	700	NA	2010	No	Discharge from petroleum refineries
Styrens (ppb)	100	100	NA	2010	No	Discharge from rubber and plastic factories; Leaching from landfills

Undetected Contaminants

The following contaminants were monitored for, but not detected, in your water.

Coefficia ants	MCLU de Muddige	-MEDL	Four Varer	Vielation	1) 100 100 100 100 100 100 100 100 100 100
Chlorine (as Ci2) (ppm)	4	4	ND	No	Water additive used to control microbes

Term	Definition
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (μg/L)
NA	NA not applicable
ND	ND: Not detected
NR	NR: Monitoring not required, but recommended.

Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal; The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLOs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Variances and Exemption	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health, MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

incontrol by comparing the control.

Contact Name: GEORGIANN WILDHABER

Address: POBOX 38

CHATAWA, MS 39632 Phone: 601-783-3494

PROOF OF PUBLICATION

THE STATE OF MISSISSIPPI PIKE COUNTY

Public Notice
Osyka Water
Customers
The Annual
Consumer Confidence
report is complete and
available to view at
Osyka Town Hall
Town Clerk
Hilda Wall

PERSONALLY appeared before me, the undersigned notary public in and for Pike County, Mississippi, Nana Morris, An authorized clerk of THE MAGNOLIA GAZETTE, a weekly newspaper as defined and prescribed in Sections 13-3-31 and 13-3-32, of the Mississippi Code of 1972, as amended, who, being duly sworn, states that the notice, a true copy of which is hereto attached, appeared in the issues of said newspaper as follows. Number of Lines/Words Published Times 5 88 Total S <u> Authorized (Nerk of</u> Signed The Magnolia Gazette 1934 SWORN to and subscribed before me the

Notary Public

FAV Commission Expires:



NOTICE OSYKA WATER CUSTOMERS

THE ANNUAL CONSUMER CONFIDENCE REPORT IS COMPLETE AND AVAILABLE TO VIEW AT OSYKA TOWN HALL.

Posting Locations -Town Hall-215 Liberty St: East Town Library - 101 W. Railroad Avel ObyKa Post Office-115 Liberty St; East

TOWN CLERK HILDA WALL

2010 CCR Contact Information

Date: 5/27/11 Time: 10:5/
PWSID: 570010
System Name: OSY/Ca
Lead/Copper Language Chlorine Residual (MRDL) RAA
Fluoride GWR Format
Other
Violation(S)
Will correct report & mail copy marked "Corrected copy" to MSDH
Will notify customers of availability of corrected report on next monthly bill.
"collect chlains- post correctminates/6:/15- send moot copy"
Spoke with family Hull - "will Make Confection tolers" (Operator, Owner) Secretary)
5/27/11 L.M. @ office number

TOWN OF OSYKA

215 Liberty Street; East P. O. Box 23 Osyka, MS 39657 Telephone 601-542-5041 FAX 601-542-5832

May 16, 2011

Mississippi State Department of Health P O Box 1700 Jackson MS 39215-1700

RE: Consumer Confidence Report

Dear Sir:

Please find attached a copy of the Town of Osyka's Consumer Confidence Report and a Public Notice posted in three (3) public places informing the Town's citizens about the report and where they can get a copy. One each was placed at Town Hall, Osyka Post Office and First Bank lobby. Also enclosed is a copy of the proof of publication that was published in the Magnolia Gazette informing citizens about the CCR.

If there are any questions, please notify me.

Hilda C. Wall

Sincerely,

Hilda C. Wall

Town Clerk